

DEFINICION MANEJO CAMPO 57

Manejo campo 57.

El procesamiento POS en las interfaces se ha modificado para admitir un token de hasta 2000 bytes. Las interfaces limitaban previamente el token máximo del búfer a 996 bytes.

El campo P-57 se ha definido para transmitir los búferes de token expandidos. P-57 se define con un campo de 4 bytes de longitud y un buffer de 2000 bytes para tokens

El soporte de expansión se diseñó, desarrolló y probó para esperar tokens en el campo 57 o en el campo 63, pero nunca en ambos, solo debe usar 1 campo; basados en lo anterior la funcionalidad que se tiene actualmente se debe trasladar al P57

1. DEFINICION DE CAMPO 57:

P-57 Expanded Token Buffers

Format: ANS ..2004

Used By: BASE24-atm
BASE24-pos

The Expanded Token Buffers data element is used as an expanded buffer by BASE24-atm or BASE24-pos. It can be used in place of S-126 for BASE24-atm or P-63 for BASE24-pos.

Position	Length	Description
1-4	4	Field Length Indicator The field length indicator value is the sum of the lengths of the Header token, all token headers, and token data being used.
4-2004	2000	Data The data in the token buffer.
4-2004	2000	Token Data Redefines Data